


# Bling it to life



with 'Creative Crystal'™



1

Create template in CorelDraw 12




2

Feed flock material into the Craft Robo, matt side up. Change blade cap to yellow.



3

After cutting, remove flock material and apply Spray Mount to the back of the flock material



4

Peel off excess material. This now becomes your template.



5

Stick the template to normal piece of paper, ensuring the template is flush. Apply adequate amount of Rhinestones on top of the template.




6

Gently brush Rhinestones over the template so that they settle into the holes, the right way up. This may take a little time and practice to perfect. The more Rhinestones you place on top of your template, the better.



7

Carefully, cut and apply application tape on top of the Rhinestones. Practice makes perfect here! Press down on top of tape with the soft brush and gently lift tape off and all the Rhinestones will also lift off at the same time.



8

Gently, peel back the application tape and you will find that the Rhinestones are now stuck to the application tape.



9

Place application tape with Rhinestones face down onto your garment and heat the machine up to 155 degrees centigrade and press for 15 seconds. Please ensure that you place a Teflon Sheet on top of you garment before heat pressing.

(It is also possible to iron the Rhinestones on but we would always advocate using a heat press for best results).

Wait a short while and then peel away the clear application film - the Rhinestones are now firmly stuck onto your garment. Do not attempt to stretch fabric whilst hot. Turn garment around and heat press again covering with a Teflon Sheet for about 5 seconds to ensure all the Rhinestones are properly stuck onto your garment.



You can also create designs with two or more colours.